

File No. #571 Doc. No. 220406

**DECLARATION OF VESTED  
GROUNDWATER RIGHTS**

**Ollie J. Hauge**

to

**The Public**

STATE OF MONTANA, } ss.  
County of Roosevelt,

Filed this 31st day of

December, A.D. 1963

at 1:30 o'clock P. M.

Eleanor A. Schmeltzer  
County Recorder

Margaret M. Brown

Fee \$2.00 pd. Deputy

Received from \_\_\_\_\_

Robert Hauge

Wolf Point, Montana

GV

Approved Stock Form--State Publishing Co., Helena, Montana--38687

File No. \_\_\_\_\_

T 30 R 47

DUPLICATE

County Roosevelt

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
JAN 10 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. OLLIE J. HAUGE, of WOLF POINT  
(Name of Appropriator) (Address)  
County of ROOSEVELT State of MONTANA (Town)  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec 2 30 R 47  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based HOUSE WATER

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1948 USED ALL THE TIME

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 8 GAL PER MINUTE

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal JET PUMP

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater DRILLED IN SUMMER OF 1948 COMPLETED IN ABOUT 30 DAYS

8. The depth of water table 25 FT

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater 50 FT DEEP ABOUT 25 FT OF WATER WITHDRAWN WITH JET PUMP DEEP WELL PLACED ABOUT 5 FT FROM SURFACE 18" CASING

10. The estimated amount of groundwater withdrawn each year 20,000 GAL

11. The log of formations encountered in the drilling of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Ollie J. Hauge

Date Dec 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

30232

File No. #570 Doc. No. 220405

**DECLARATION OF VESTED  
GROUNDWATER RIGHTS**

**Ollie J. Haug**

to

**The Public**


STATE OF MONTANA. } ss.  
County of Roosevelt,

Filed this 31st day of  
December, A.D. 1963  
at 1:30 o'clock P. M.

Eleanor A. Schmeltzer  
County Recorder

Margaret M. Brown  
Deputy  
Fee \$2.00 pd.

Received from \_\_\_\_\_  
Robert Haug  
\_\_\_\_\_  
Wolf Point, Montana



File No. \_\_\_\_\_

DUPLICATE

T. 30N R. 47

County Roosevelt

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

RECEIVED


JAN 10 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

I, OLLIE J. HAUGE, of WOLF POINT  
(Name of Appropriator) (Address) (Town)  
County of ROOSEVELT State of MONTANA  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec 2 T30 R47  
Indicate point of appropriation  
and place of use, if possible.  
Each small square represents 10  
acres.

2. The beneficial use on which the claim is based CATTLE & HORSES

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1925 STEADY USE

4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 GAL PER MIN

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal  
3 IN CYLINDER 40 FT DOWN RUN BY WINDMILL

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1925

8. The depth of water table 25 FT

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater ABOUT 50 FT DEEP. 2.5 FT O.F. WATER 1.8" CASING

10. The estimated amount of groundwater withdrawn each year 20000 GAL

11. The log of formations encountered in the drilling of each well if available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Ollie J. Hauge

Date Dec 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

30231

File No. #569 Doc. No. 220404

DECLARATION OF VESTED  
GROUNDWATER RIGHTS

Ollie J. Haug

to

The Public

STATE OF MONTANA. } ss.  
County of Roosevelt,

Filed this 31st day of

December, A.D. 1963

at 1:30 o'clock P.M.

Eleanor A. Schmeltzer  
County Recorder

Margaret M. Brown  
Deputy

Fee \$2.00 pd.

Received from

Robert Haug

Wolf Point, Montana

RECORDED  
INDEXED  
DEC 31 1963  
COUNTY CLERK  
MONTANA  
This document is subject to public inspection and copying. Any person may examine and copy this document at any time and place. The fee for such examination and copying shall be as provided by law.

GW

Approved Stock Form—State Publishing Co., Helena, Montana—38687

File No. \_\_\_\_\_

T. 30 N R. 47 E  
County Roosevelt

DUPLICATE

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
JAN 10 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

1. OLLIE J. HAUGE, of WOLF POINT  
(Name of Appropriator) (Address) (Town)  
County of Roosevelt State of MONTANA  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



1/4 Sec. 2 T. 30 N. R. 47  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- 2. The beneficial use on which the claim is based DRINK WATER + GARDEN WATERING.
- 3. Date or approximate date of earliest beneficial use; and how continuous the use has been. 1930
- 4. The amount of groundwater claimed (in miner's inches or gallons per minute) 1.0 GAL PER MINUTE
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof ABOUT 15 ACRES OWNED BY OLLIE J. HAUGE USED FOR GARDEN FOR FAMILY USE.
- 6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal DEEP WELLET PUMP.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater. 1930

8. The depth of water table. 25 FT.

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 1 1/2" CASING 50 FT DEEP 25 FT WATER PUMP AT TOP OF GROUND

10. The estimated amount of groundwater withdrawn each year. 20,000

11. The log of formations encountered in the drilling of each well if available.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner Ollie J. Hauge  
Date Dec 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

30229

File No. #567 Doc. No. 220402

**DECLARATION OF VESTED  
GROUNDWATER RIGHTS**

**Ollie J. Hauge**

to

**The Public**

STATE OF MONTANA. } ss.  
County of Roosevelt,

Filed this 31st day of  
December, A.D. 1963  
at 1:30 o'clock p., M.  
Eleanor A. Schmeltzer  
County Recorder  
Margaret M. Brown  
Deputy  
Fee \$2.00 pd.

Received from \_\_\_\_\_  
Robert Hauge  
Wolf Point, Montana

*[Faint, illegible text and markings on the right side of the document, possibly a stamp or recording information.]*

Form No. 18  
8-60

T. 30 N R. 47 E <sup>6</sup>

County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED  
JAN 15 1961


Water Well Log

Owner Marble Hanson

STATE ENGINEER  
Address Wolf Point

Driller \_\_\_\_\_

Address \_\_\_\_\_

Date Started \_\_\_\_\_

Date Completed \_\_\_\_\_

Location: Sec. 6 T. 30 N R. 47 E <sup>6</sup> 1 sec. lot 11

Type of well Drilled Equipment used rotary  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water uses: Domestic  Municipal  Stock  Irrigation   
 Industrial  Drainage  Other \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type galvanized Size 4 1/2

Casing: 1 ft. to 80 ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. 12 to ft. \_\_\_\_\_, Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level \_\_\_\_\_ feet at \_\_\_\_\_ gal. per min.

Row tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(over)



GW

Approved Stock Form—State Publishing Co., Helena, Montana—3057

File No. \_\_\_\_\_

T. 30<sup>N</sup> R. 47<sup>E</sup> 11  
County ROOSEVELT

DUPLICATE

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


RECEIVED  
JAN 10 1964

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

I, OLLIE J. HAUGE, of WBLE PINT.  
(Name of Appropriator) (Address) (Town)  
County of ROOSEVELT State of MONTANA  
have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



$\frac{1}{4}$  Sec. 11 T30. R. 47  
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based STOCK WATER
3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1930 STEADY USE
4. The amount of groundwater claimed (in miner's inches or gallons per minute) 10 GAL PER MINUTE.
5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal.  
3" CYLINDER RUN BY PUMP JACK  
+ 3 HP GAS MOTOR
7. The date of commencement and completion of the construction of the well, walls, or other works for withdrawal of groundwater. 1935
8. The depth of water table. 20 ft.
9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater. 50 FT. D.M.S.P. 18" CASING
10. The estimated amount of groundwater withdrawn each year. 40,000 GAL.
11. The log of formations encountered in the drilling of each well if available.
12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record.

Signature of Owner

Ollie J. Hauge  
Date Dec 31, 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

30230

File No. #568 Doc. No. 220403

**DECLARATION OF VESTED  
GROUNDWATER RIGHTS**

**Ollie J. Nauga**

to

**The Public**

STATE OF MONTANA. } ss.  
County of Roosevelt,

Filed this 31st day of  
December, A.D. 1963  
at 1:30 o'clock P.M.

Eleanor A. Schmelzer  
County Recorder

Margaret M. Brown

Fee \$2.00 pd. Deputy

Received from \_\_\_\_\_

Robert Nauga

Wolf Point, Montana

*[Faint, illegible text, possibly a stamp or recording information]*

File No. \_\_\_\_\_

T. 30<sup>N</sup> R. 47<sup>E</sup>

DUPLICATE

County Roosevelt

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER


Sec. 18-17-20-28

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

Louis TOAUS of Wahf Point MONT  
(Name of Appropriator) (Address) (Town)

County of Roosevelt State of Montana  
I have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



Sec. 18-17-20-28, -30-47

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based watering

irrigation + injection

3. Date or approximate date of earliest beneficial use; and how continuous the use has been 1929 since 1948

+ 2000 now

4. The amount of groundwater claimed (in miner's inches or gallons per minute) well produces 300 gpm

per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof

200 acres

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal

the well

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater 1957 - 1963

8. The depth of water table 45 feet

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater

open 15 feet

10. The estimated amount of groundwater withdrawn each year possible 200,000 gal per well

11. The log of formations encountered in the drilling of each well if available mostly gravel

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record

Signature of Owner Louis Toaus  
Date Dec 30 65

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

40777

INDEXED

File No. 637 Doc. No. 229199

**DECLARATION OF VESTED GROUND WATER RIGHTS**

**Louis Toews**

to

**The Public**

STATE OF MONTANA. } ss.  
County of Roosevelt,

Filed this 21st day of  
January, A.D. 19 66

at 11:55 o'clock A.M.

Eleanor A. Schmeltzer  
County Recorder

Margaret M. Brown Deputy

**Fee \$2.00 pd.**

Received from Erla Frenzl  
Return to: Louis Toews  
Wolf Point, Montana



Form No. 18  
8-60


T. 30 N R. 47E

County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED  
JAN 15 1962

Water Well Log



STATE ENGINEER

OWNER George J. Frank Address Wolf Point, Mont.

Driller Davis Drilling Co Address Wolf Point, Mont.

Date Started 10-18-61 Date Completed 10-27-61

Location: Sec. 19 T. 30 R. 47E Sec. N 1/2 - NW 1/4

Type of well Drilled Equipment used Drill  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \_\_\_\_\_

Casing: 205 ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size 6"

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_. Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level \_\_\_\_\_ feet at \_\_\_\_\_ gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

gravel packing

(over)





Form No. 18  
8-60


T. 30N R. 47 30

County Bozeman RECEIVED  
JAN 15 1967

MONTEANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

Water Well Log

STATE ENGINEER



OWNER Frank N. Jones Address Wolf Point Mont.

Driller \_\_\_\_\_ Address \_\_\_\_\_

Date Started \_\_\_\_\_ Date Completed \_\_\_\_\_

Location: Sec. 30 T. 30 R. 47  $\frac{1}{4}$  Sec. SE

Type of well Drilled Equipment used Drill  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \_\_\_\_\_

Casing: 250 ft. to \_\_\_\_\_ ft. Type steel Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ . Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: 200 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 250 feet at \_\_\_\_\_ gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

This well was on the land when I purchased it, therefore, the information as to this well is unknown.

(over)

Form No. 18  
8-60

Plan No. \_\_\_\_\_

T. 30N R. 47


30

County ROBERTS

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

Water Well Log

STATE ENGINEER



OWNER Frank J. Jones Address Wells

Driller \_\_\_\_\_ Address \_\_\_\_\_

Date Started \_\_\_\_\_ Date Completed \_\_\_\_\_

Location: Sec. 30 T. 30 R. 47 Sec. 30

Type of well Drilled Equipment used Drill  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \_\_\_\_\_

Casing: 250 ft. to \_\_\_\_\_ ft. Type Steel Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ . Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: 260 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 250 feet at \_\_\_\_\_ gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

This well is a on the land when I purchased it, therefore, the information as to this well is unknown.

(over)



Form No. 18  
8-60

T. 30N R. 47E  
County Roosevelt

31

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED  
JAN 18 1935

Water Well Log

STATE ENGINEER

well		

Owner J.A. Towns Address Wolf Point, Mont.

Driller \_\_\_\_\_ Address \_\_\_\_\_

Date Started October 1935 Date Completed October 1935

Location: Sec. 30 T. 30 R. 47 1/4 sec. lots 1-2-3-4

Type of well dug Equipment used pick & shovel  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \_\_\_\_\_

Casing: 42 ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. 2 to ft. \_\_\_\_\_ . Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations perforated tile

Static water level, for non-flowing well: 12 inches of water in well feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 12 inches feet at \_\_\_\_\_ gal. per min.

How tested: with windmill can't pump dry

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Tile packed with gravel

(over)





Form No. 18  
8-60

T. 30N R. 47E <sup>31</sup>  
County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED  
JAN 15 1952

Water Well Log

STATE ENGINEER

well		

Owner A. G. Fowles Address Wolf Point Mont.  
 Driller Art Fast Address Wolf Point Mont.  
 Date Started November 1951 Date Completed December 1951  
 Location: Sec. 31 T. 30 R. 47 1/2 sec. lots 1-2-3-7

Type of well drilled Equipment used drill  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
 Industrial  Drainage  Other \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: 60 ft. ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. 42 to ft. 60 Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations Slotted Steel Casing

Static water level, for non-flowing well: 20 ft. of water in well feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 40 feet at \_\_\_\_\_ gal. per min.

How tested: pump pump jack & electric motor

Length of test 12 hrs

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)



File No. 49 Doc. No. \_\_\_\_\_

**WATER WELL LOG**

**A. A. Toavs**  
do **210263**  
**The Public**

STATE OF MONTANA. } ss.  
County of Roosevelt,

Filed this 28th day of  
December, A.D. 1961

at 11:00 o'clock A.M.

Eleanor A. Schmeltzer  
County Recorder.

Fee: D. H. Deputy.

Received from A. A. Toavs  
Wolf Point, Montana



Form No. 18  
8-60


T. 30 N R. 48 E

County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED  
JAN 15 1952

Water Well Log STATE ENGINEER



OWNER Martin Luther Address Wolf Point, Mont.

Driller Nelson Brown Address Poplar, Mont.

Date Started Fall of 1942 Date Completed Fall of 1942

Location: Sec. 7 T. 30 R. 48 Sec. S-E

Type of well Drilled Equipment used Trawl & cable  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation

Industrial  Drainage  Other

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type Iron Size 4"

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level \_\_\_\_\_ feet at \_\_\_\_\_ gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(over)





Form No. 18  
8-60

T. 30N R. 48E<sup>7</sup>

County Rosebud

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED  
JAN 15 1962


Water Well Log

STATE ENGINEER

OWNER Martin Lett Address Walt Court, Mont

Driller " Address "

Date Started July 1956 Date Completed July 1956

Location: Sec. 7 T. 30 R. 48 Sec. 7-C

Type of well Dug by hand Equipment used \_\_\_\_\_  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation

Industrial  Drainage  Other \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type Permanent bit Size 4' x 6'

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ . Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level \_\_\_\_\_ feet at \_\_\_\_\_ gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
(over)

Form No. 18  
8-60

T. 30N R. 48E

County Rosebud

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

JAN 5 1961

Water Well Log

STATE ENGINEER


OWNER Martin Luther Address 101st and 2nd

Driller \_\_\_\_\_ Address \_\_\_\_\_

Date Started July 1950 Date Completed July 1950

Location: Sec. 7 T. 30 R. 48 S. 12

Type of well Dug by hand Equipment used \_\_\_\_\_  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type Commercial Size 4 x 6

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ . Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level \_\_\_\_\_ feet at \_\_\_\_\_ gal. per min. \_\_\_\_\_

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



File No. 201 Doc. No. \_\_\_\_\_

**Water Well Log  
Martin Sathre  
to 210430  
The Public**

STATE OF MONTANA } s.  
County of Roosevelt

Filed this 29th day of  
December, A.D. 1961  
at 3:55 o'clock P.. M.

Eleanor A. Schmeltzer  
County Recorder

Fos D.H. Deputy

Received from Martin Sathre  
Wolf Point, Montana


*Faint vertical text on the right side of the table:*  
The information in this log is for informational purposes only and does not constitute a warranty. The user assumes all liability for the use of the information contained herein.

File No. \_\_\_\_\_

T 30<sup>N</sup> R 48

DUPLICATE

County Bozworth

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER

**RECEIVED**  
DEC 28 1962  
STATE ENGINEER

**Notice of Completion of Groundwater  
Appropriation by Means of Well**

(Under Chapter 237, Montana Session Laws, 1961)

Top of Ground  
(Elev. above sea level.....)

28 Drift

60 Grey Shale

120 Sand

150 Water Sand

Owner JAY KIRK Address POPLAR MONTANA

Driller BOONE WHITMER & SONS Address Wolf Point, MONT.

Date of Notice of Appropriation of Groundwater June 20, 1962


Date well started June 15, 1962 Date Completed June 20, 1962

Type of well Drilled Equipment Used Cable tool  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
5-inch	5#OD 14#	0	120			



1/4 Sec. 13 T. 30 R. 48

Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 90 feet

Shut-In Pressure for Flowing Well \_\_\_\_\_

Pumping Water Level 110 feet at 12 gal. per minute.

Discharge in gal. per min. of flowing well \_\_\_\_\_

How Tested Bailer Length of Test 1 hour

Remarks: (Gravel packing, cementing, packers, type of shut-off, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of

acres irrigated, if used for irrigation) \_\_\_\_\_

Gravel Pack Screen

83

Driller's License Number

*[Signature]*

Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

12603

STATE OF MONTANA  
COUNTY OF ROOSEVELT  
NOTICE OF COMPLETION OF CIRCUMVENTION  
APPROPRIATION BY MEANS OF WILL

FILED  
RECORDED

INDEXED  
SERIALIZED

DEPT. OF REVENUE

STATE OF MONTANA  
COUNTY OF ROOSEVELT

NOTICE OF COMPLETION OF CIRCUMVENTION  
APPROPRIATION BY MEANS OF WILL

FILED  
RECORDED

INDEXED  
SERIALIZED

DEPT. OF REVENUE

STATE OF MONTANA  
COUNTY OF ROOSEVELT

NOTICE OF COMPLETION OF CIRCUMVENTION  
APPROPRIATION BY MEANS OF WILL

FILED  
RECORDED

INDEXED  
SERIALIZED

DEPT. OF REVENUE

File No. 417 Doc. No. 220153

**NOTICE OF COMPLETION OF CIRCUMVENTION  
APPROPRIATION BY MEANS OF WILL**

**Jay Klein**  
to  
**The Public**

STATE OF MONTANA. }  
County of Roosevelt. } ss.

Filed this 20th day of  
December, A.D. 1943

at 3:00 o'clock P. M.

Eleanor A. Schmeltzer  
County Recorder

Margaret M. Brown  
Deputy

Fee \$2.00

Received from Jay Klein

Payee, Montana

Form No. 18  
8-50

T. 30 N R. 48 E

15


County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED  
D

Water Well Log

DATE ENGINEER



OWNER Lillian Bridges Address Wolf Point, Montana

Driller \_\_\_\_\_ Address \_\_\_\_\_

Date Started \_\_\_\_\_ Date Completed \_\_\_\_\_

Location: Sec. 15 T. 30 R. 48 Sec. NESE

Type of well dug Equipment used \_\_\_\_\_  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation

Industrial  Drainage  Other \_\_\_\_\_

Casing: 1 ft. to 30 ft. Type Cedar Size 2 1/2"

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ . Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level \_\_\_\_\_ feet at \_\_\_\_\_ gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

(over)



Form No. 18  
8-60

T. 30 N R. 48 E <sup>15</sup>

County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED  
JAN 15 1962

		X

Water Well Log: STATE ENGINEER

OWNER Lillian Bridges Address Wolf Point, Montana

Driller \_\_\_\_\_ Address \_\_\_\_\_

Date Started \_\_\_\_\_ Date Completed \_\_\_\_\_

Location: Sec. 15 T. 30 R. 48  $\frac{1}{4}$  Sec. NESE

Type of well dug Equipment used \_\_\_\_\_  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation

Industrial  Drainage  Other \_\_\_\_\_

Casing: 1 ft. to 38 ft. Type Cedar Size 2 1/2"

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ . Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level \_\_\_\_\_ feet at \_\_\_\_\_ gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_ (over)



Form No. 18  
8-60

T. 30 N R. 48 E

County Blaine

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

JAN 15 1932

Water Well Log

STATE ENGINEER


OWNER Mrs. Alma Harting Address Half Point, Montana

Driller Jack & Joe Fisher Address Unknown

Date Started \*\*\*\*\* Date Completed 1915

Location: Sec. 14 18 T. 30 R. 48 1/2 Sec. 34 18

Type of well Drilled Equipment used Rotary  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Casing: 0 ft. to 45 ft. Type Tile Size 18 inch

Casing:  ft. to  ft. Type  Size

Casing:  ft. to  ft. Type  Size

Perforated or screened: Ft.  to ft. . Ft.  to ft.

Type of screen or perforations

Static water level, for non-flowing well: 15 feet.

Shut-in pressure, for flowing well:  lb./sq. in. on:  (date)

Pumping water level \*\*\*\*\* feet at \*\*\*\*\* gal. per min. \*\*\*\*\*

How tested: \*\*\*\*\*

Length of test \*\*\*\*\*

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)



Form No. 18  
8-60

T. 30 N R. 48 E

County Haviland

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED  
MAY 1 1927

Water Well Log

STATE ENGINEER


OWNER Mrs. Alma Harkins Address Wolf Point, Montana

Driller Carl M. Carlson Address Wolf Point, Montana

Date Started                      Date Completed 1927

Location: Sec. 14 T. 30 R. 48 Sec. 14

Type of well Dug by Hand Equipment used Spade  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation

Industrial  Drainage  Other

Casing: 0 ft. to 12 ft. Type Tile Size 18 inch

Casing:            ft. to            ft. Type            Size           

Casing:            ft. to            ft. Type            Size           

Perforated or screened: Ft.            to ft.           . Ft.            to ft.           

Type of screen or perforations                     

Static water level, for non-flowing well:                      feet.

Shut-in pressure, for flowing well:            lb./sq. in. on:             
(date)

Pumping water level            feet at            gal. per min.           

How tested: Never Tested

Length of test                     

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)



Form No. 18  
8-60


T. 30 N R. 48 E <sup>18</sup>  
County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED  
JAN 2 1964

Water Well Log

STATE ENGINEER



Owner Edward Stetson Address Wolf Point Montana  
 Driller Bob Steensen Address Unknown  
 Date Started 1928 Date Completed 1928  
 Location: Sec. 18 T. 30 R. 48  $\frac{1}{4}$  sec. NE $\frac{1}{4}$  of NE $\frac{1}{4}$

Type of well Drilled Equipment used Rotary  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
 Industrial  Drainage  Other General Farm use

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ . Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level \_\_\_\_\_ feet at \_\_\_\_\_ gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Well is about 50 ft. deep. Any other information is unknown

(over)



Form No. 18  
8-60


T. 30N R. 48E <sup>18</sup>

County Russell

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED  
JAN 15 1961

STATE ENGINEER



Water Well Log

Owner Edward Stetson  
Merphy Oil Corp Address Poplar Montana

Driller Russ Drilling Co Address Wolf Point Mont

Date Started 12-1960 Date Completed 1-1961

Location: Sec. 18 T. 30 R. 48 1/2 sec. SE 1/4 of SE 1/4

Type of well Drilled Equipment used Rotary  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other May be used for irrigation

Casing: 5 1/2" ft. to 625' ft. Type 1-55 Size 5 1/2" 15.1-H-01

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. 578 to ft. 610 . Ft. 421 to ft. 457

Type of screen or perforations #60 SAND POINT

Static water level, for non-flowing well: \_\_\_\_\_ feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 310 feet at 11 gal. per min.

How tested: Test Log

Length of test 24 hrs

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Well is about 625 ft deep  
Gravel Packed and Top 80'  
Cemented

(over)



File No. 52 Doc. No. \_\_\_\_\_

**WATER WELL LOG**  
**Edward Skatvold and**  
**Murphy Oil Corporation**  
to 210266  
**The Public**

STATE OF MONTANA } ss.  
County of Roosevelt,

Filed this 29th day of

December, A.D. 1961

at 11:35 o'clock A. M.

Eleanor A. Schmeltzer  
County Recorder

For P.L. Deputy

Received from Otto Skatvold  
Wolf Point, Montana

*580 625*  
*Edward Skatvold*  
*T.W. 625 ft*

File No. \_\_\_\_\_

MAY 13 1966

T 30N R 48E 26

DUPLICATE

Billie \_\_\_\_\_ McDermott \_\_\_\_\_  
Butzerin \_\_\_\_\_ McNulty \_\_\_\_\_  
County ROOSEVELT  
Coye \_\_\_\_\_ Morton \_\_\_\_\_  
Darlington \_\_\_\_\_ Sullivan \_\_\_\_\_  
Pickett \_\_\_\_\_  
STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER



Top of Ground  
(Elev. above sea level 2700)

50 Drift  
90 Shale  
115 Sand

*no number*


**Notice of Completion of Groundwater Appropriation by Means of Well**

(Under Chapter 237, Montana Session Laws, 1961)

Owner James J. Ault Address Poplar, Montana  
Driller Boone Whitmer & Sons Address Wolf Point, Montana  
Date of Notice of Appropriation of Groundwater April 30, 1966  
Date well started April 21, 1966 Date Completed April 21, 1966  
Type of well Drilled Equipment Used Cable Tool  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)  
Water Use: Domestic  Municipal  Other  Irrigation   
Industrial  Drainage  Stock

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
5-inch	5-inch ID	0	90			



SE 1/4 Sec. 26 T 30 R 48  
Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Static Water Level for non-flowing Well 60 feet.  
Shut-in Pressure for Flowing Well \_\_\_\_\_  
Pumping Water Level 100 feet at 10 gal. per minute.  
Discharge in gal. per min. of flowing well \_\_\_\_\_  
How Tested Bailer Length of Test 2 hours

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation)

Gravel Screen - 90 to 115 feet

83  
Driller's License Number  
B. Whitmer  
Driller's Signature

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

INDEXED

**NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION**

**James L. Ault**  
to  
**The Public**

State of Montana,  
County of Roosevelt.  
Filed this 12th day of  
May A. D. 1968  
at 12:30 o'clock P.M.  
County Recorder  
Deputy

Fee \$2.00 pd.  
James Ault  
Poplar, Montana

**Notice of Completion of Groundwater Appropriation by Means of Well**

STATE ENGINEER  
DEPARTMENT OF STATE ENGINEER  
COURT HOUSE  
HELENA, MONTANA

STATE WATER CONSERVATION BOARD

MAY 14 1968

Notary Public for Montana  
I hereby certify that the foregoing is a true and correct copy of the original as the same appears in my records.  
Notary Public for Montana

Form No. 18  
8-60

T. 30 N R. 48 E 26

County ROOSEVELT

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana


Water Well Log

ENGINEER

Owner Russel Zimmerman Address Wolf Point, Mont

Driller Schnell Incorporated Address Dickinson, N. Dak.

Date Started 10/7/61 Date Completed 10/7/61

Location: Sec. 26 T. 30 N R. 48 E Sec. NE 1/4

Type of well Drilled Equipment used Rotary  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation

Industrial  Drainage  Other \_\_\_\_\_

Casing: 0 ft. to 118 ft. Type Steel Size 4 1/2" OD

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. 98 to ft. 118. Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations Slots cut in casing

Static water level, for non-flowing well: 90 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level 112 feet at 8 gal. per min.

How tested: Air lifted

Length of test 1 hour

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

Gravel packed to top

(over)





GW 2

File No. ....

DUPLICATE

T 30 N R 48 E 32

County Roosevelt

STATE OF MONTANA  
ADMINISTRATOR OF GROUNDWATER CODE  
OFFICE OF STATE ENGINEER  
OCT 17 1963

RECEIVED

### Notice of Completion of Groundwater Appropriation by Means of Well

(Under Chapter 237, Montana Session Laws, 1961)

0 Top of Ground  
(Elev. above sea level.....)  
28 Drift  
82 Dark Grey  
87 Tight Sand  
104 Water Sand  
116 Dark Grey

Owner Howard Janssen Address Wolf Point, Mont.

Driller Boone Whitmer & Son Address Wolf Point, Mont.

Date of Notice of Appropriation of Groundwater Dec. 10, 1962

Date well started Dec. 4, 1962 Date Completed Dec. 9, 1962

Type of well Drilled Equipment Used Cable Tool  
(dug, driven, bored or drilled) (Churn, drill, rotary or other)

Water Use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other

Indicate on the diagram the character and thickness of the different strata met with in drilling, such as soil, clay, shale, gravel, rock or sand, etc. Show depth at which water is encountered, thickness and character of water-bearing strata and height to which the water rises in the well.

Size of Drilled Hole	Size and Weight of Casing	From (Feet)	To (Feet)	PERFORATIONS		
				Kind Size	From (Feet)	To (Feet)
5 inch	1 1/2"	0	87			

Static Water Level for non-flowing Well 68 feet.


Shut-in Pressure for Flowing Well .....

Pumping Water Level 104 feet at 5 gal. per minute.

Discharge in gal. per min. of flowing well .....

How Tested Bailer Length of Test 1 hour

Remarks: (Gravel packing, cementing, packers, type of shutoff, location of place of use of groundwater if not at well, and any other similar pertinent information, including number of acres irrigated, if used for irrigation) .....



Indicate location of well and place of use, if possible. Each small square represents 10 acres.

Show exact depth of bottom.

Driller's License Number 83

Driller's Signature Boone Whitmer

This form to be prepared by driller, and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the School of Mines and Quadruplicate for the Appropriator.

6442

File No. 368 Doc. No. 219112

**NOTICE OF COMPLETION OF GROUNDWATER  
APPROPRIATION BY MEANS OF WELL**

**Howard Jensen**

to

**The Public**

STATE OF MONTANA. } ss.  
County of Roosevelt,

Filed this 14th day of  
October, A.D. 1963  
at 11:52 o'clock A. M.

Eleanor A. Schmeltzer  
County Recorder

Margaret M. Brown  
Deputy

Filing Fee \$2.00 pd.  
**Howard Jensen**  
**Wolf Point, Montana**

Received from \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Handwritten notes and stamps on the right side of the document, including a large 'RECORDED' stamp and various illegible markings.



File No. \_\_\_\_\_

T. 30 N. R. 49 E.

DUPLICATE

County Roosevelt

STATE OF MONTANA  
 ADMINISTRATOR OF GROUNDWATER CODE  
 OFFICE OF STATE ENGINEER

RECEIVED  
 JAN 10 1964


Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

STATE ENGINEER

I, C. L. Rogers & M. C. Rogers, of Wolf Point,  
 (Name of Appropriator) (Address) (Town)

County of Roosevelt State of Montana  
 have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:



SW 1/4 Sec. 1, T. 30 N., R. 49 E.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

2. The beneficial use on which the claim is based  
domestic & stock watering

3. Date or approximate date of earliest beneficial use; and how continuous the use has been  
unknown

4. The amount of groundwater claimed (in miner's inches or gallons per minute)  
5 gallons per minute

5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof  
not applicable

6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal  
standard pump  
well located in SW 1/4 Sec. 1, T. 30 N., R. 49 E.

7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater  
unknown

8. The depth of water table  
unknown

9. So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the withdrawal of groundwater  
unknown

10. The estimated amount of groundwater withdrawn each year  
none for past few years & none at present--will be used in future.

11. The log of formations encountered in the drilling of each well if available  
not available

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including reference to book and page of any county record  
not available

Signature of Owner

*C. L. Rogers & M. C. Rogers*

Date 12/31/63

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

50214

File No. 552 Doc. No. 220385

**DECLARATION OF VENDOR  
GROUNDWATER RIGHTS**

**C. L. Rogers and  
M. C. Rogers**

to

**Es Public**

STATE OF MONTANA, } ss.  
County of Roosevelt,

Filed this 31st day of

December, A.D. 1963.

at 8:30 o'clock A. M.

Eleanor A. Schmeltzer

County Recorder

Margaret M. Brown

Deputy

Fee \$2.00 pd.

Received from \_\_\_\_\_

John Finner

Wolf Point, Montana


Form No. 18  
8-60

T. 30N R. 49E 5  
County Roosevelt

MONTANA BUREAU OF MINES AND GEOLOGY  
Butte, Montana

RECEIVED  
JAN 15 1962

Water Well Log



STATE ENGINEER

OWNER Glenn Sether Address Wolf Point

Driller Boone Whitmer Address Wolf Point

Date Started Aug 1961 Date Completed Aug 1961

Location: Sec. 5 T. 30 R. 49 & Sec. N. E.

Type of well Drilled Equipment used Cable tool  
(Dug, driven, or drilled) (Churn, drill, rotary, other)

Water use: Domestic  Municipal  Stock  Irrigation   
Industrial  Drainage  Other \_\_\_\_\_

approx Casing: T&P ft. to 150 ft. Type Iron Size 4"

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Casing: \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Type \_\_\_\_\_ Size \_\_\_\_\_

Perforated or screened: Ft. \_\_\_\_\_ to ft. \_\_\_\_\_ . Ft. \_\_\_\_\_ to ft. \_\_\_\_\_

Type of screen or perforations \_\_\_\_\_

Static water level, for non-flowing well: approx 120 feet.

Shut-in pressure, for flowing well: \_\_\_\_\_ lb./sq. in. on: \_\_\_\_\_ (date)

Pumping water level \_\_\_\_\_ feet at \_\_\_\_\_ gal. per min.

How tested: \_\_\_\_\_

Length of test \_\_\_\_\_

Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

